



CONTEMPORARY SERIES

NEW BRENTWOOD & CHELSEA

Today's clay brick design trends call for clean lines, contemporary colors and subtle textures to balance linear stone treatments. This series is designed to complement stone accents with a full color palette ranging from neutral grays and taupes to rich reds.



NEW! BRENTWOOD

AVAILABLE SIZES:
Premier Plus, Metric Norman, Metric Jumbo



NEW! CHELSEA

AVAILABLE SIZES:
Premier Plus, Metric Norman, Metric Jumbo

CONTEMPORARY SERIES

SIZES



Premier Plus
 Length 257 mm (10 1/8")
 Height 79 mm (3 1/8")
 Depth 90 mm (3 1/2")
 Bricks per square foot 3.9
 Bricks per square meter 42



Metric Norman
 Length 290 mm (11 1/2")
 Height 57 mm (2 1/4")
 Depth 90 mm (3 1/2")
 Bricks per square foot 4.6
 Bricks per square meter 49.8



Metric Jumbo
 Length 290 mm (11 1/2")
 Height 90 mm (3 1/2")
 Depth 90 mm (3 1/2")
 Bricks per square foot 3
 Bricks per square meter 33

COLORS

† = Stock Item Product



NEW! BRENTWOOD
Sizes: Premier Plus†, Metric Norman, Metric Jumbo



NEW! CHELSEA
Sizes: Premier Plus†, Metric Norman, Metric Jumbo



ESPRESSO
Sizes: Premier Plus†, Metric Norman, Metric Jumbo



MOUNTAIN GRAY
Sizes: Premier Plus†, Metric Norman, Metric Jumbo



REGENCY BROWN
Sizes: Premier Plus†, Metric Norman, Metric Jumbo



ROYAL GRAY
Sizes: Premier Plus†, Metric Norman, Metric Jumbo



SAHARA
Sizes: Premier Plus†, Metric Norman, Metric Jumbo†



VENETIAN
Sizes: Premier Plus†, Metric Norman, Metric Jumbo



WESTVILLE
Sizes: Premier Plus†, Metric Norman, Metric Jumbo



WINDSOR
Sizes: Premier Plus†, Metric Norman, Metric Jumbo†

SPECIFICATIONS

Manufactured in our Farmersburg, Indiana Plant

Product Property	CSA	ASTM	Typical Brampton Brick Range*
Compressive Strength (min)	> 21 MPa	> 3000 psi	40 – 60 MPa or 5800 – 8700 psi
24 hour cold water absorption			3% - 6%
5 hour boil water absorption	< 17%	< 17%	4% - 8%
C/B Ratio	< 0.78	< 0.78	0.65 - 0.75
Based on CSA A82 for Exterior Grade (EG) brick, Type X and ASTM C216 for Severe Weather (SW) Brick, Type FBX			*not applicable if 24 hr CWA <8%

Minimum orders apply. Check with a Brampton Brick Sales Representative on product availability prior to specifying. For additional information, please visit our website at BramptonBrick.com

To find a dealer nearest you please visit:

BramptonBrick.com

Or, call us toll free at:

1.800.GO.BRICK (462-7425) (Canada)

1.844.GO.BRICK (462-7425) (USA)

Product representations shown in this publication are intended to convey the general color, texture and appearance of the product. Variations may occur in the manufacturing and printing process. Always select from an actual product sample.